



FIG.2

(A)



(B)



(c)





FIG.3

(A)



(B)

## DEFECTIV BLOCK LIST

SLR FLAG	ADDRESS OF DEFECTIVE BLOCK	ADDRESS OF ALTERNATIVE BLOCK	
0	ADDRESS $\alpha$	ADDRESS β	}①
1	ADDRESS A	NO ALTERNATIVE BLOCK AVAILABLE	}@
1	ADDRESS A + 4	NO ALTERNATIVE BLOCK AVAILABLE	
1	ADDRESS A + 12	NO ALTERNATIVE BLOCK AVAILABLE	

## FIG.4

## (A) ) READ COMMAND

TYPE	OFFSET	DETAILS						
COMMAND	0	CODE VALUE TO INDICATE READ COMMAND						
	1 2	OPTION CODE						
	3	BUFFER PAGE ADDRESS						
]	4							
PARAMETER	5	NUMBER OF PAGES						
PARAMETER	6	PROCESSED						
	7							
	8	HEAD ADDRES						
	9	HEAD ADDIES						
	10							

## (B) ) SDL SETTING COMMAND

TYPE	OFFSET	DETAILS					
COMMAND	0	CODE VALUE TO INDICATE SDL SETTING COMMAND					
	1	OPTION CODE					
	2	OI HON CODE					
	3	PDL POINTER					
PARAMETER	4						
PARAMETER	5						
	6						
	7	SDL POINTER					
	8						






FIG.6












FIG.9



**FIG.10** 












FIG.14


BIT BYTE	7	6	5	4	3	2	1	0	
0	CODE VALUE TO INDICATE REPRODUCTION REQUEST								
1									
2	HEAD ADDRESS OF REPRODUCTION DATA								
3									
4									
5									
6	LENGTH OF REPRODUCTION DATA								
7									
8									
9									
10	FLAG INDICATING THAT "REAL TIME REPRODUCTION IS IMPORTANT"	RESERVED AREA							
11									




**FIG.16** 




**FIG.17** 





**FIG.18** 






**FIG.20** 





**FIG.22** 



**FIG.23** 

